

M42 HIGH SPEED STEEL HARDENED & GROUND BLANKS

36 INCH HSS LENGTHS TOLERANCE $\pm .001$

- **HARDENED**
- **TEMPERED**
- **PRECISION GROUND....**

Hardness: Rockwell C 65-67
DIAM.: TOLERANCE: $\pm .001$

24 INCH HARDENED & GROUND TOLERANCE $\pm .001$

Fractional Size	Decimal Equivalent	Price Each
9/16	.5625	131.02
5/8	.6250	154.03
11/16	.6875	158.06
3/4	.7500	153.24
13/16	.8125	181.63
7/8	.8750	208.54
1	1.0000	227.93
1-1/16	1.0620	340.98
1-1/8	1.1250	375.77
1-3/16	1.1875	388.11
1-1/4	1.2500	411.18
1-5/16	1.3125	437.03
1-3/8	1.3750	461.11
1-7/16	1.4375	516.99
1-1/2	1.5000	540.75

Fractional Size	Decimal Equivalent	Price Each
1/16	.0625	44.28
5/64	.078125	47.73
3/32	.09375	47.81
7/64	.109375	52.57
1/8	.1250	55.06
9/64	.140625	55.38
5/32	.15625	55.72
11/64	.171875	58.37
3/16	.1875	58.79
13/64	.203125	61.19
7/32	.21875	61.70
15/64	.234375	64.23
1/4	.2500	64.78
17/64	.265625	74.12
9/32	.28125	74.75
19/64	.296875	78.30
5/16	.3125	79.03
21/64	.328125	89.53
11/32	.343875	90.33
23/64	.359375	99.81
3/8	.3750	100.65
25/64	.390625	110.66
13/32	.40625	111.60
27/64	.421875	118.45
7/16	.4375	119.44
29/64	.453125	125.30
15/32	.46875	126.36
31/64	.484375	134.61
1/2	.5000	135.73